# Safety Lockout Range



We take the worry out of protecting what's valuable to you. Lockwood: no worries\*





# **Contents**



**214 and 215 Series** 

Aluminium Case Padlocks

page 3



# 215P Series

Plastic Body Padlocks

page 5



### 225 Series

Padlocks

page 7



### 312 Series

Padlocks

page 9



# **Safety Lockout**

Safety Lockout Hasp

page 11



# **Safety Lockout**

312 Covered Supervisors Hasp

page 13



### Safety Lockout Range Accessories

page 15



# **Trailer Air Coupling Lock**

page 17

# 214 and 215 Series Aluminium Case Padlocks



The Lockwood 214 and 215
Aluminium Series Padlocks are
a range of durable, rugged and
lightweight 40mm aluminium
case padlocks with full commercial
grade special keying. The range has
been specifically designed to meet
the requirements of commercial
and industrial applications. Along
with a range of up to eight clearly
identified coloured jackets, it is ready
to be custom marked to make lock
identification easy.

### **Features and Specifications**

- Self latching double ball locking
- Can be converted from self latching to deadlocking (key retained) by simply relocating the cam plate pin in the cylinder assembly
- Covers available in eight easily identified colours.

Materials         Body: Heavy duty, aluminium case extrusion. Shackle: Stainless steel.           Function         Spring loaded shackle, available with latching function where the key can be removed with the shackle in the open position (L) or deadlocking function where the the key is retained and can only be removed with the shackle in the locked position (D).           Finish         Body: Red anodized aluminum. Shackle: Natural material.           Cylinders         Rekeyable 334 type padlock cylinder. Inline pin cylinders can be keyed to 5 or 6 pins.           Shackles         214 Model: 5.0mm diameter, 19 & 50mm lengths. 215 Model: 6.4mm diameter, 19 & 50mm lengths.           Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.					
Shackle: Stainless steel.  Spring loaded shackle, available with latching function where the key can be removed with the shackle in the open position (L) or deadlocking function where the the key is retained and can only be removed with the shackle in the locked position (D).  Finish  Body: Red anodized aluminum. Shackle: Natural material.  Cylinders  Rekeyable 334 type padlock cylinder. Inline pin cylinders can be keyed to 5 or 6 pins.  Shackles  214 Model: 5.0mm diameter, 19 & 50mm lengths. 215 Model: 6.4mm diameter, 19 & 50mm lengths. Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Product Details				
where the key can be removed with the shackle in the open position (L) or deadlocking function where the the key is retained and can only be removed with the shackle in the locked position (D).  Finish  Body: Red anodized aluminum. Shackle: Natural material.  Cylinders  Rekeyable 334 type padlock cylinder. Inline pin cylinders can be keyed to 5 or 6 pins.  Shackles  214 Model: 5.0mm diameter, 19 & 50mm lengths. 215 Model: 6.4mm diameter, 19 & 50mm lengths. Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Materials				
Shackles: Natural material.  Cylinders  Rekeyable 334 type padlock cylinder. Inline pin cylinders can be keyed to 5 or 6 pins.  Shackles  214 Model: 5.0mm diameter, 19 & 50mm lengths. 215 Model: 6.4mm diameter, 19 & 50mm lengths.  Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Function	where the key can be removed with the shackle in the open position (L) or deadlocking function where the the key is retained and can only be removed with the			
cylinders can be keyed to 5 or 6 pins.  214 Model: 5.0mm diameter, 19 & 50mm lengths. 215 Model: 6.4mm diameter, 19 & 50mm lengths.  Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Finish				
Special Keying  215 Model: 6.4mm diameter, 19 & 50mm lengths.  Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Cylinders				
or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.	Shackles				
Daik Eocksimens versions are available.	Special Keying	or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows			

Note: Custom marking is available. Pricing and availability on application.

# Standards and Compliance

SP3-6

Physical Security grades are employed for padlocks. These grades are defined in part by the effective differs and key combinations. Padlocks Physical Security (SP) grade range from 3-6.


Anti-Corrosion. Corrosion Resistance Rating C4. Environments that are sometimes damp in the majority of rural and suburban localites, including interiors where condensation may occur.






# 214 and 215 Series Aluminium Case Padlocks







### Product Details – Dimensions and Standards and Compliance Ratings

	Physical Security Rating	Corrosion Resistance Rating	Α	В	c	D	E	F
214A40/619	SP4	C4	40	52	5.0	19	21	19
214A40/650	SP3	C4	40	52	5.0	50	21	19
215A40/619	SP6	C4	40	52	6.4	19	20	19
215A40/650	SP5	C4	40	52	6.4	50	20	19

### Available Keving Configurations

	RKA	ВК	5KA	5KD	6КА	6KD	6МК	DRKA	D5KA	D5KD	D6KA	D6KD	D6MK
214A40/619	•	•	•	•	•	•	•	•	•	•	•	•	•
214A40/650	•	•	•	•	•	•	•	•	•	•	•	•	•
215A40/619		•	•	•	•	•	•	•	•	•	•	•	•
215A40/650		•	•	•	•	•	•	•	•	•	•	•	•

Shackle

Opening

# **Padlocks Ordering Procedure**

Series	Material
215	Р
Padlock Seri	ies
214 Series	214
215 Series	215
Body Materi	ial
Aluminium	Α
Plastic	Р

Padlock

40	8
Body Size	
Nominal Size in mm	40
Shackle Material	
Brass	2
Stainless Steel	6

Shackle Material

50	L
Shackle Opening	
Nominal Size in mm	25
Nominal Size in mm	50
Function	
Latching	L
Deadlocking	D

Function

1	2	
Format		
Window Cover	1	

Colour

Window Cover	1
Colour	
Red	1
Orange	2
Yellow	3
Green	4
Blue	5
Purple	6
White	7
Black	8

SKD	
Pack Types and Key	/ing
Keyed Alike	KA
5 Pin Keyed Alike	5KA
5 Pin Keyed to Differ	5KD
6 Pin Keyed Alike	6KA
6 Pin Keyed to Differ	6KD

6 Pin Master Keyed

**GEN6T Master Keyed** 

MT5+ Master Keyed

**Note:** For deadlocking function insert "D" in front of keying suffix. E.g. D6KD.

6МК

ВК

G6M

MT5+

# **215P Series Plastic Body Padlocks**



The Lockwood 215P Plastic Body Series Padlocks have been specifically designed for the electrical and mining safety lockout industries. When specified with a polymer shackle the padlock becomes completely nonconductive allowing for safety lockout within electrical applications.


# Features and Specifications

- Excellent corrosion resistance
- All components are non-sparking
- All components are non-magnetic
- Meets OH&S guidelines of one employee, one padlock and one key
- Available in six colours
- Includes write on "Danger" label

Product Details				
Materials	Body: Plastic. Shackle: Plastic or brass.			
Function	Spring loaded shackle with deadlocking function where the the key is retained and can only be removed with the shackle in the locked position.			
Finish	Body: Coloured plastic. Shackle: Natural material.			
Cylinders	Rekeyable 334 type padlock cylinder. Inline pin cylinders can be keyed to 5 or 6 pins.			
Shackles	Available in 6mm diameter, 50mm long, brass and polymer shackles.			
Special Keying	Locks can be keyed to a number of controlled and / or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.  The standard key supplied is the 6 pin restricted E3 profile. The key head is marked 'Safety Do Not Copy'.  Bulk Locksmiths versions are available.			

# 215P Series Plastic Body Padlocks





# Specifications Dimensions (mm) Part Number A B C D E F 215P40/850 40 52 6 50 20 19

# Available Keying Configurations

	UKA	UND	DIX
215P40/850	•	•	•
215P40/250	•	•	•
215P40/225	•	•	•

# **Padlocks Ordering Procedure**

Padlock Series	Body Material	Body Size
215	Р	40
Padlock Seri	es	Body Wi
Contact	215	Nominal S
Body Materi	al	Shackle I
Plastic	Р	Brass
		Polymer

		Material
40	/	8
Body Widtl	h	
Nominal Size	in n	nm 40
Shackle Ma	iter	ial
Brass		2
Daluman		0

50	1	
Shackle Opening		
Nominal Size in mm	50	
Shackle Opening		
Red	1	
Orange	2	
Yellow	3	
Green	4	
Blue	5	
Purple	6	
White	7	

Shackle Opening

Black

Colour		PackType & Keying
1	/	6KD

Pack Types and Keying	
6 Pin Keyed Alike	6KA
6 Pin Keyed to Differ	6KD
6 Pin Master Keyed	6MK
Bulk	BK

# 225 Series Padlock



The Lockwood 225 Series Padlock is a zinc diecast padlock with a powdercoated finish.

The 225 padlock is primarily used with the 003 key code for the fire industry.

The padlock is also available with a brown powder coat finish for use in other applications.


# **Features and Specifications**

- Powder coated red body
- Hardened steel chrome plated shackle

Product Deta	ails
Materials	Body: High purity, diecast, zinc alloy. Shackle: Hardened steel.
Function	Spring loaded shackle with latching function where the key can be removed with the shackle in the open position.
Finish	Body: Red powder coat (003 version) or Brown powder coat. Shackle: Chrome plate.
Cylinder	Integrated 5 disc barrel.
Shackles	6.4mm diameter, 19mm long.

# **225 Series Padlock**





# Product Details-Dimensions A B C D E F 225/40/119 38 38 6.4 19 19.5 20

Available Keyin	g Confi	gura	tions		
	RKA	LS	KA	KD	003
225/40/119	•	•	•	•	•

Note: Red Fire Industry version shown keyed to 003 key. Part No: 225/40/119/003

# **Padlocks Ordering Procedure**



Pack Types and Keyi	ng
Locksmith	LS
5 Disc Keyed to Differ	KD
Keyed Alike	KA
Random Keyed Alike	RKD
Fire Industry Code	003

# **312 Series Padlocks**



The Lockwood 312 Series Safety Lockout Padlocks are a durable and rugged brass padlock that has been specifically designed to meet the requirements of safety lockout applications.

Multiple departments or jobs can be easily identified using one of the jacket options. Laser etching is also optional for individual identification when using the windowed jacket.

### **Features and Specifications**


- Primarily used for safety lock out applications
- 6 pin tumbler mechanism
- Self latching or deadlocking (key retained)
- Dual shackle locking points
- Coloured covers available for easy identification.


Product Detail	S
Materials	Body: Solid brass. Shackle: Stainless steel.
Function	Spring loaded shackle, available with latching function where the key can be removed with the shackle in the open position (L) or deadlocking function where the the key is retained and can only be removed with the shackle in the locked position (D).
Finish	Body: Red anodized aluminum. Shackle: Natural material.
Cylinders	Integrated cylinder, 6 pins.
Shackles	4.8mm diameter, 19mm, 38mm and 50mm lengths.

**Note:** Custom marking is available. Pricing and availability on application.

# **312 Series Padlocks**







Product Detail	s– Dim	ensio	ns			
	Α	В	C	D	E	F
312##19	29	34	4.8	19	16	16
312##38	29	34	4.8	38	16	16
312##50	29	34	4.8	50	16	16

Available Keying	g Cont	rigura	tions	
	KD	KA	MK	LS
312##19	•	•	•	•
312##38	•	•	•	•
312##50	•	•	•	•

Note: To ensure key numbers are not duplicated padlocks must be ordered to a site specific key system. If padlocks are ordered without a site specific key system number quoted on the order, key numbers may be duplicated.

# **Padlocks Ordering Procedure**

Padlock Series	Profile
312	Α
Padlock Serie	S
312 Series	312
Profile	
ALR	Α
32R	В
CNR	С
32S (232 Standa	ırd Profile) E

D	50
Function	
Deadlocking	D
Latching	L
Shackle Oper	ning (mm)
19mm	19
38mm	38
50mm	50
Etching	
Single Sided	E1
Double Sided	E2
Leave blank if n	o etching is


Shackle Opening

D /	50	E1	RW
nction		Cover Colour	
adlocking	D	Red Solid	RD
tching	L	Red Window	RW
	, ,	Orange Window	OR
ackle Openin	g (mm)	Yellow WIndow	YE
mm	19	Green Window	GR
mm	38	Blue Window	BL
mm	50	Purple Window	PU
		White Window	WH
ching		Black Solid Cover	BK
ngle Sided	E1	Black Window	BW
uble Sided	E2	Grey Window	GY
ave blank if no e quired	tching is	Red Window with "Danger Do Not Enter"	DD

Keying
KD

Keying	
Keyed to Differ	KD
Keyed Alike	KA
Locksmith	LS

# 312 Safety Lockout Hasp



Lockwood's unique patented Safety Lockout Hasp design provides protection for various portable installations suitable for both single and multipoint\* locking applications. This product provides maximum protection when used in conjunction with Lockwood's 312 Series padlocks and ensures equipment can be isolated and not activated again until the repairs or maintenance are completed.

The locked out device cannot be reactivated until all workers have signed off on their portion of the project and removed their padlock from the hasp.

Lockwood's guarantee of quality means that you can be confident in your choice of Lockwood Safety Lockout products.

\*When used in conjunction with 312 cables sold seperately.

Product Details	
Materials	Shackle: Stainless Steel. Locking points: Stainless Steel. Rivets: Stainless Steel. Spring: Stainless Steel. Body: Galvanised Steel.
Functions	Single action shackle release trigger. Piggy back function.
Finish	Powdercoat red.
Accessories	Red PVC coated cables are available separately for multi point locking in lengths of 1.5m, 6m, and 10m.

# 312 Safety Lockout Hasp


# **Features and Specifications**


- Multi-function Safety Lockout Hasp with the unique design cable locking feature
- Hardened Stainless Steel hasp
- Self-latching
- Single action shackle release trigger
- Six padlock holes accept up to 6.5mm shackle diameter
- Heavy duty stainless steel return spring
- Piggy back function
- Stainless steel body rivets
- Highly visible red powder coat finish
- Multi point locking (when used in conjunction with cable)


### **Part Numbers**

Part Number	Description
312HASP/55	312 Series safety lockout hasp
312CABLE/R10000	312 Safety lockout cable red PVC (10M)
312CABLE/R6000	312 Safety lockout cable red PVC (6M)
312CABLE/R1500	312 Safety lockout cable red PVC (1.5M)

# **Dimensions**







# **312 Covered Supervisors Hasp**



This product is specifically designed for use with Lockwood's 312 Series padlocks and ensures equipment can be isolated and not activated again until repairs or maintenance is completed.

The locked out device cannot be reactivated until the Supervisors Padlock is unlocked. The Supervisors padlock is only accessible after all workers have signed off on their portion of the project and have removed their padlock from the hasp.

The hasp will lock over a 312 Series Padlock with 10 lockout positions and a window to view the laser etched details on the supervisor's padlock. It is available in two colours, yellow and blue to represent day shift and night shift workers.

Lockwood's guarantee of quality means that you can be confident in your choice of Lockwood Safety Lockout products.

### **Features**

- Laser etched details window
- 10 lock out positions
- Powder coated yellow and blue finish options
- Durable zinc plated steel construction
- Cut-outs for reduced weight
- \*312 padlocks sold separately.

### Product Details

Materials	Body: Zinc Plated Steel.
	Rivets: Aluminium / Steel

**Finishes** Powder coat colours blue (BL) & yellow (YE).




# 312 Covered Supervisors Hasp

### **Part Numbers**

Part Number	Description
312HASP/CS10BL	312 Covered Supervisor Hasp 10 Hole Blue
312HASP/CS10YE	312 Covered Supervisor Hasp 10 Hole Yellow

### **Dimensions**



# 312 Series Safety Lockout Range - Accessories

# Padlock Holder for 4 Padlocks Part Number 312 HOLDER/4 Finish Black

The Lockwood 312 Holder/4 has the capacity to hold four 312 Lockwood Padlocks (19 mm – 80 mm shackle), a retractable 312 Keyline and 312 Series Safety Jaws.

The carry case is designed to be easily fitted onto your belt. The 312 Holder also includes a clear face compartment which makes identification easy.

Note: Padlocks and Accessories are ordered separately.



Padlock Holder for 6 Padlocks	
Part Number	312 HOLDER/6
Finish	Black

The Lockwood 312 Holder/6 has the capacity to hold six 312 Lockwood Padlocks (19 mm – 80 mm shackle), a retractable 312 Keyline and the 312 Series Safety Jaws.

The carry case is designed to be easily fitted onto your belt. The 312 Holder also includes a clear face compartment which makes identification easy.

Note: Padlocks and Accessories are ordered separately.



Retractable k	Key Holder
Part Number	312KEYLINE
Finish	Chrome Plate/Black

This compact retractable key holder incorporates a spring loaded mechanism, a robust steel cable line and key ring.

The built in clip allows easy fitting onto the 312 Holder, or can be used independently. The 312 Keyline ensures keys are easily accessible when needed.

Note: Padlocks and Accessories are ordered separately.



# 312 Series Safety Lockout Range - Accessories

Safety Lockout Jaws	
Part Number	Description
312JAWS	25mm - 6 Holes
312JAWS/7	25mm - 7 Holes

The safety lockout jaws ensure that machinery stays 'locked out' until each person removes his/her padlock from the hasp. This prevents any accidental re-energising of machinery before crews have completed their work.

The 312 Jaw holds up to six 312 padlocks and is made from hardened steel with a vinyl coating.

Note: Padlocks and Accessories are ordered separately.



# Lock Box - 13 Hole Red Part Number 312LB/13

Group Lockout Boxes are used for isolating energy points when a large team is working. Using a group lockout box ensures staff safety by preventing activation of energy points until all maintenance locks have been removed.

Accepts 13 lockout padlocks.

Note: Padlocks and Accessories are ordered separately.



Lockout Stat	ion - 40 Padlock Capacity	
Part Number	312LOS/40	

Conveniently store your most used lockout items close to lockout points. Two padlock rails have capacity for up to 40 lockout padlocks plus two stepped tag holders and a smaller rail for lockout hasps.

Simply add extra stations to increase capacity for larger requirements.

Note: Padlocks and Accessories are ordered separately.



# **Trailer Air Coupling Lock**



The Lockwood Air Coupling Locks have been designed for the securing of Truck (Trailer) and industrial compressed air line applications. When attached to the air line this product provides security and safety.

Security: Whereby the air brakes air line fitting is effectively sealed when the lock is attached, preventing connection to the opposing fitting. In the case of a Trailer application this reduces the risk of the trailer being connected to a truck without authorisation.

Safety: In an industrial application the sealing of the air line can reduce the risk of an accidental connection of equipment when shut down for maintenance etc.

The Lockwood Air Coupling Lock range consist of two series, the AL Series and the TL Series.

### **AL Series**

The AL Series comes with an integrated cylinder that can be keyed to most restricted key systems.

It is available in two models to suit both the  $\frac{1}{2}$  NPT female air coupling and the  $\frac{1}{2}$  NPT male air coupling.



### **TL Series**

The TL Series is locked with a padlock. The locking point allows for use of a padlock with under 10mm shackle diameter.

It is available in two models to suit both the  $\frac{1}{2}$  "NPT female air coupling and the  $\frac{1}{2}$ " NPT male air coupling.






# **Air Coupling Types**


# **Air Coupling Types**

Air Couplings come in different sizes, the AL & TL Series are designed to work with ½ inch couplings;


- 1/2" NPT male coupling = AL Series 63 or TL Series 1/2IN
- 1/2" NPT female coupling = AL Series 81 or TL Series 28MM


Note: Air Couplings are not supplied.





1/2" NPT male thread coupling





1/2" NPT female thread coupling

# **AL Series**



### **AL Series**

The AL Series comes with an integrated cylinder that can be keyed to most restricted key systems.


It is available in two models to suit both the ½"NPT female air coupling and the ½" NPT male air coupling.

S
Diameter: 45mm. Length:  • AL Series 63 - 96mm.  • AL Series 81 – 114mm.
Inner Sleeve: Mild steel. Outer Sleeve: Case hardened steel.
Spring loaded function allowing for quick snap-on attachment to ½ inch air coupling fittings.  Locked and unlocked by integrated cylinder. Key retained in unlocked position.
Chrome Plate (CP).
AL Series - 577 Synergy 3500 Series dual access lower cylinder.
Locks can be keyed to a number of controlled and/ or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.


# **AL Series**

### **Dimensions**

# **AL Series 63**



# **AL Series 81**



### **Part Numbers**

Part Number	Description	Coupling Type
AL1/2/63MM##	AL Series 63 Air Coupling Lock	½" NPT male thread coupling
AL1/2/81MM##	AL Series 81 Air Coupling Lock	1/2" NPT female thread coupling

**Note:** ## in part number is exchanged for keying type.

**KD** = Keyed to Differ (Standard C4 profile 6 pin)

**KA** = Keyed Alike (Standard C4 profile 6 pin)

**MK** = Master Keyed (Standard C4 profile 6 pin)

# **TL Series**



### **TL Series**

The TL Series is locked with a padlock. The locking point allows for use of a padlock with under 10mm shackle diameter.

It is available in two models to suit both the ½"NPT female air coupling and the ½" NPT male air coupling.•

Product Details		
Dimensions	Diameter: 38mm. Length:  TL Series 1/2IN – 59mm. TL Series 28 – 79mm.	
Materials	Inner Sleeve: Mild steel. Outer Sleeve: Case hardened steel.	
Function	Spring loaded function allowing for quick snap-on attachment to $\frac{1}{2}$ inch air coupling fittings.	
Finish	Satin Chrome Pearl (SP).	
Locking	The TL Series is locked by padlock. Padlocks are available separately and not included.  Suits padlocks with a shackle diameter of under 10mm and minimum clearance height of 38mm.	


# **TL Series**

### **Dimensions**

# TL Series 1/2IN

# 10.5 - 43.5 - 60.7

# **TL Series 28MM**



### **Part Numbers**

Part Number	Description	Coupling Type
TL1/2IN	TL Series 1/2IN Air Coupling Lock	½" NPT male thread coupling
TL28MM	TL Series 28MM Air Coupling Lock	½" NPT female thread coupling

 $\textbf{Note:} \ \mathsf{Padlocks} \ \mathsf{are} \ \mathsf{available} \ \mathsf{separately} \ \mathsf{and} \ \mathsf{not} \ \mathsf{included}.$ 





**Lockwood** is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

**ASSA ABLOY** is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**ASSA ABLOY** is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



### The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz



Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2016 copyright by ASSA ABLOY All rights reserved

